L	Hits	Search Text	DB	Time stamp
Number 5		@ad < "20000320" and (program\$4 or		2004/05/22
٦	"	schedul\$3) near (deliver\$3 or send\$3 or	USPAT;	2004/05/11 12:48
		transfer\$4 or fetch\$3 or download\$3)	US-PGPUB; EPO; JPO;	12:48
		near (whole or partial or remainder) near	DERWENT	
		(object or data)		
6	3		USPAT;	2004/05/11
		schedul\$3) with (deliver\$3 or send\$3 or	US-PGPUB;	12:49
		transfer\$4 or fetch\$3 or download\$3)	EPO; JPO;	
		near (whole or partial or remainder) near	DERWENT	
-		(object or data)		
7	0	(program, 1 or	USPAT;	2004/05/11
		schedul\$3) same (deliver\$3 or send\$3 or transfer\$4 or fetch\$3 or download\$3)	US-PGPUB; EPO; JPO;	12:49
		near whole near (partial or remainder)	DERWENT	
		near (object or data)	DEKMENT	
8	lo		USPAT;	2004/05/11
_		schedul\$3) same (deliver\$3 or send\$3 or	US-PGPUB;	12:50
		transfer\$4 or fetch\$3 or download\$3)	EPO; JPO;	12.30
		with whole near (partial or remainder)	DERWENT	
		near (object or data)		
9	0	<pre>@ad < "20000320" and (program\$4 or</pre>	USPAT;	2004/05/11
		schedul\$3) same (deliver\$3 or send\$3 or	US-PGPUB;	12:50
		transfer\$4 or fetch\$3 or download\$3)	EPO; JPO;	
		with whole with (partial or remainder)	DERWENT	
10	1	near (object or data) @ad < "20000320" and (program\$4 or	IICDAM.	2004/05/11
10	1	schedul\$3) same (deliver\$3 or send\$3 or	USPAT; US-PGPUB;	2004/05/11
		transfer\$4 or fetch\$3 or download\$3)	EPO; JPO;	12:50
		with whole with (partial or remainder)	DERWENT	
		with (object or data)	2211112111	
11	57	<pre>@ad < "20000320" and (deliver\$3 or send\$3</pre>	USPAT;	2004/05/11
		or transfer\$4 or fetch\$3 or download\$3)	US-PGPUB;	12:54
		with whole with (partial or remainder)	EPO; JPO;	
		with (object or data)	DERWENT	
12	10	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2004/05/11
		or transfer\$4 or fetch\$3 or download\$3)	US-PGPUB;	12:51
		with whole with (partial or remainder) near (object or data)	EPO; JPO;	
13	12	@ad < "20000320" and (deliver\$3 or send\$3	DERWENT USPAT;	2004/05/11
		or transfer\$4 or fetch\$3 or download\$3)	US-PGPUB;	12:52
	į l	with whole near (partial or remainder)	EPO; JPO;	12.02
		with (object or data)	DERWENT	
14	0	<pre>@ad < "20000320" and (deliver\$3 or send\$3</pre>	USPAT;	2004/05/11
		or transfer\$4 or fetch\$3 or download\$3)	US-PGPUB;	12:53
]	<pre>with (whole near (partial or remainder))</pre>	EPO; JPO;	
15		with (object or data) same ascending	DERWENT	
15	0	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2004/05/11
		or transfer\$4 or fetch\$3 or download\$3) same (whole near (partial or remainder))	US-PGPUB;	12:54
		with (object or data) same ascending	EPO; JPO; DERWENT	
16	o l	<pre>@ad < "20000320" and (deliver\$3 or send\$3</pre>	USPAT;	2004/05/11
		or transfer\$4 or fetch\$3 or download\$3)	US-PGPUB;	12:54
		<pre>same (whole near (partial or remainder))</pre>	EPO; JPO;	
		same (object or data) same ascending	DERWENT	
17	12	<pre>@ad < "20000320" and (deliver\$3 or send\$3</pre>	USPAT;	2004/05/11
		or transfer\$4 or fetch\$3 or download\$3)	US-PGPUB;	12:55
İ		with (whole near (partial or remainder))	EPO; JPO;	
18	10	with (object or data)	DERWENT	
10	16	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2004/05/11
i		or transfer\$4 or fetch\$3 or download\$3) same (whole near (partial or remainder))	US-PGPUB;	12:59
İ	1	with (object or data)	EPO; JPO; DERWENT	
19	22	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2004/05/11
-		or transfer\$4 or fetch\$3 or download\$3	US-PGPUB;	13:00
		or transmit\$4) same (whole near (partial	EPO; JPO;	13.00
		or remainder or undelivered)) with	DERWENT	
1	i l	(object or data)		1

Updated Search

-	11	<pre>@ad < "20000320" and deliver\$3 near order near size</pre>	USPAT; US-PGPUB;	2003/10/02 16:04
-	404	<pre>@ad < "20000320" and web and (deliver\$3 same order same size)</pre>	EPO; JPO; DERWENT USPAT; US-PGPUB;	2003/10/02 17:26
-	0	<pre>@ad < "20000320" and web and (deliver\$3 same (ascending adj order) same size)</pre>	EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/04/10 15:25
_	4	<pre>@ad < "20000320" and (deliver\$3 same (ascending adj order) same size)</pre>	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/04/10 15:26
-	1	@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4) same (ascending adj order) same size and web	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/04/10 15:34
-	1	<pre>@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3) same (ascending adj order) same size and web</pre>	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 15:35
_	0	<pre>@ad < "20000320" and web and (deliver\$3 same order same ascending same size)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 15:36
_	1	<pre>@ad < "20000320" and web and ((deliver\$3 or send\$3 or transfer\$4 or schedul\$3) same order same ascending same size)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 15:39
_	50	<pre>@ad < "20000320" and ((deliver\$3 or send\$3 or transfer\$4 or schedul\$3) same order same ascending same size)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 15:41
_	. 7	<pre>@ad < "20000320" and ((deliver\$3 or send\$3 or transfer\$4 or schedul\$3) same order same ascending same size) and fetch\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 15:46
_	55	@ad < "20000320" and ((deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3) same order same ascending same size)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 15:47
-	2	@ad < "20000320" and ((deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3) same order same ascending same size) and server	USPAT; US-PGPUB; EPO; JPO;	2003/04/10 15:51
-	39	@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3) and (order same ascending same size) and server	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/04/10 16:18
_	46	@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) and (order same ascending same size) and (server or web)	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 18:15
-	271	@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (order same ascending) and size and (server or web or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 18:26
-	137	<pre>dad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) and (order same ascending) same size and (server or web or network)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/10 18:27
-	0	@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) and ((order same ascending) near size) and (server or web or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/13 17:07

-	0	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	18:29
		download\$3) and ((order same ascending)	EPO; JPO;	
		near size)	DERWENT	
_	392	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
	3,2	or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	18:31
				10:31
		download\$3) and ((order same ascending)	EPO; JPO;	
		same size)	DERWENT	
-	20	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	18:31
		download\$3) and ((order adj ascending)	EPO; JPO;	
		same size)	DERWENT	
† -	236	<pre>@ad < "20000320" and (deliver\$3 or send\$3</pre>	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	18:39
İ		download\$3) and ((ascending adj order)	EPO; JPO;	10.33
		same size)	DERWENT	
1_	15	@ad < "20000320" and (deliver\$3 or send\$3		0000/04/10
1	13		USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	18:33
		download\$3) and ((ascending adj order)	EPO; JPO;	
		near size)	DERWENT	
-	15	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	18:34
		download\$3) and ((ascending adj order)	EPO; JPO;	
		near (size or (amount adj data)))	DERWENT	
-	115	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	19:03
		download\$3) and ((ascending adj order)	EPO; JPO;	12.03
		same size) and (server or network or	DERWENT	
	_ ا	cach\$3 or proxy or web)		
-	5	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	19:42
		download\$3) and ((ascending adj order)	EPO; JPO;	
		adj size) and (server or network or	DERWENT	
		cach\$3 or proxy or web)		
-	6	@ad < "20000320" and ((ascending adj	USPAT;	2003/04/10
		order) adj size) and (server or network	US-PGPUB;	19:41
		or cach\$3 or proxy or web)		19:41
		or cachys or proxy or web)	EPO; JPO;	
	115	0 1 - 400000000	DERWENT	
_	115	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	19:46
		download\$3) and ((ascending adj order)	EPO; JPO;	
		same size) and (server or network or	DERWENT	
	İ	cach\$3 or proxy or web)		
-	118	<pre>@ad < "20000320" and (deliver\$3 or send\$3</pre>	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	20:39
		download\$3) and ((ascending adj order)	EPO; JPO;	
]		same (size or (amount adj data))) and	DERWENT	
		(server or network or cach\$3 or proxy or	DEVMENT	
		web)		
-	1	@ad < "20000320" and (deliver\$3 or send\$3	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	20:55
		download\$3) and ((ascending adj order)	EPO; JPO;]
		same (size or (amount adj data))) and	DERWENT	
1		(server or network or cach\$3 or proxy or		
		web) and 5572645.pn.		
-	1	<pre>@ad < "20000320" and (deliver\$3 or send\$3</pre>	USPAT;	2003/04/10
		or transfer\$4 or schedul\$3 or fetch\$3 or	US-PGPUB;	20:55
		download\$3) and ((ascending adj order)	EPO; JPO;	20.00
		same (size or (amount adj data))) and		ľ
		/some (Size of (amount adj data))) and	DERWENT	
1		(server or network or cach\$3 or proxy or		
]	ا ہ	web) and 6499051.pn.		
-	5	<pre>@ad < "20000320" and (cache or caching or</pre>	USPAT;	2003/04/11
		proxy or server or client) and (auto\$	US-PGPUB;	17:34
['	same (look\$3 adj up) same (IP or address	EPO; JPO;	
		or URL))	DERWENT	
-	0	@ad < "20000320" and (auto or	USPAT;	2003/04/11
		automatically) same ((look or looking)	US-PGPUB;	17:42
1		adj up adj IP adj address) same (URL or	EPO; JPO;	1,.16
		Web)	· ·	1
L	L	"\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DERWENT	

-	22	@ad < "20000320" and ((look or looking)	USPAT;	2003/04/11
		adj up adj IP adj address) and (URL or	US-PGPUB;	17:46
		Web) and (auto or automatic or	EPO; JPO;	[
		automatically)	DERWENT	
-	683	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) adj (establish\$3 or	US-PGPUB;	17:48
		connect\$3) and (URL or Web)	EPO; JPO;	17.40
		Comicoctys, and total of web,	DERWENT	
! _	175	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
	1/3	or automatically) adj (establish\$3 or		17:49
			US-PGPUB;	17:49
		connect\$3) same (URL or Web)	EPO; JPO;	
		0 1 - 100000000	DERWENT	
-	9	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) adj (establish\$3 or	US-PGPUB;	17:52
		connect\$3) same (linked adj (URL or Web	EPO; JPO;	
		or page))	DERWENT	
-	0	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) same (establish\$3 or	US-PGPUB;	17:54
		connect\$3) same (linked adj (URL or Web	EPO; JPO;	
		or page)) and (look\$3 adj up) near (IP	DERWENT	
		adj address)]
-	О	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) same (establish\$3 or	US-PGPUB;	17:55
		connect\$3) and (linked adj (URL or Web or	EPO; JPO;	1,.55
		page)) and (look\$3 adj up) near (IP adj	DERWENT	
		address)	DEUMENI	
:	1	@ad < "20000320" and (auto or automatic	IICDAM.	2002/04/11
	1		USPAT;	2003/04/11
		or automatically) and (establish\$3 or	US-PGPUB;	18:00
		connect\$3) and (linked adj (URL or Web or	EPO; JPO;	
		page)) and (look\$3 adj up) adj (IP adj	DERWENT	
		address)		
i -	29	<pre>@ad < "20000320" and (auto or automatic</pre>	USPAT;	2003/04/11
		or automatically) adj (establish\$3 or	US-PGPUB;	18:02
		connect\$3) and (linked adj (URL or Web or	EPO; JPO;	
		page))	DERWENT	
-	25	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) adj (establish\$3 or	US-PGPUB;	18:22
		connect\$3) and (linked adj (URL or Web or	EPO; JPO;	
		page)) and (IP adj address)	DERWENT	
-	0	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) adj (look or looking)	US-PGPUB;	18:23
		adj up near (IP adj address)	EPO; JPO;	
		J 1 ()	DERWENT	l į
-	0	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) adj (look or looking)	US-PGPUB;	18:23
		adj up same (IP adj address)	EPO; JPO;	10.23
	İ	and ab pame (if and anniess)		
_	14	@ad < "20000320" and /auto on automaté	DERWENT	2002/04/11
	T.4	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) same ((look or looking)	US-PGPUB;	18:31
		adj up) same (IP adj address)	EPO; JPO;	l l
	_	0-4 (110000000011) 1 ()	DERWENT	
-	5	@ad < "20000320" and (auto or automatic	USPAT;	2003/04/11
		or automatically) and ((look or looking)	US-PGPUB;	18:37
		adj up) same (IP adj address) and pre adj	EPO; JPO;	
		(fetch\$3 or look\$3 or establish\$3 or	DERWENT	
		connect\$3)		
-	7	@ad < "20000320" and ((look or looking)	USPAT;	2003/04/11
		adj up) same (IP adj address) and pre adj	US-PGPUB;	18:38
		(fetch\$3 or look\$3 or establish\$3 or	EPO; JPO;	
		connect\$3)	DERWENT	
-	15	@ad < "20000320" and (auto or	USPAT;	2003/04/11
		automatically) same (look or looking)	US-PGPUB;	18:59
		same up same (IP adj address)	EPO; JPO;	
		. ,	DERWENT	
-	42	@ad < "20000320" and (auto or	USPAT;	2003/04/13
		automatically) same (look or looking)	US-PGPUB;	16:44
		same up and ((IP adj address) or (domain	EPO; JPO;	17.11
		adj name)) and web and establish\$3 and	DERWENT	İ
[connect\$3	PEVMENT	
<u> </u>				

-	9	<pre>@ad < "20000320" and pre adj (fetch\$3 or establish\$3) and (look\$3 adj up) and (link\$3 adj (URL or page))</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/04/13 17:12
-	14		DERWENT USPAT; US-PGPUB;	2003/10/02 17:27
	6	request\$3	EPO; JPO; DERWENT	
	ь	<pre>@ad < "20000320" and(web same fetch) and (deliver\$3 same order same size same request\$3)</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/10/02 21:47
-	0	<pre>@ad < "20000320" and(web same fetch) and (deliver\$3 same order same size same request\$3) and partial</pre>	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 21:47
-	6	<pre>@ad < "20000320" and(web same fetch) and (deliver\$3 same order same size same request\$3) and (partial or remain\$2)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 21:48
-	7	<pre>@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) and (order same ascending) and size and (server or web or network) and (partial or remained or undelivered) adj (object or data)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 21:53
-	345	<pre>@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:56
_	0	<pre>@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data)) same (ascending adj order)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:34
-	1	<pre>@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) and ((partial or remained or undelivered) adj (object or data)) same (ascending adj order)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 21:54
-	5	<pre>(ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) same (second adj (request\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:56
-	5	<pre>(ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) same (second adj (request or requestor))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:41
-	0	<pre>dad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) same second adj (request and (requester or requestor))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:42
_	0	<pre>@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) and second adj (request and (requester or requestor))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:42
-	7	<pre>@ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3 or transmit\$4) same (partial or remained or undelivered) same second adj (request\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:43
-	8	<pre>dad (request(3)) gad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3 or transmit\$4) same (partial or remained or undelivered) same (other or second or another or different) adj (request\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 15:44

Search History 5/11/04 1:52:56 PM Page 5

S				_	
download39 or transmits4) same (partial or remained or undelivered) asme (other or second) add (requests3) 0	-	8		USPAT;	
Or remained or undelivered Same (other or second) and (requestor) 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06 2004/05/06					15:45
O ead ("20000320" and second adj (request and (requestor) or requester)) and (transmits4 or transfers4 or sends4 or delivers3) adj (undelivered or remainder) 18 de ("20000320" and second adj (request USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;					
- 0 @ad < "20000320" and second adj (request and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remainder) 14 @ad < "20000320" and second adj (request and (requestor or requester)) and (requestor or requester)) and (requestor or transfer\$4 or send\$4 or USPAT; USPAT; USPAT; Or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) same (second adj (request or or requester)) 0 @ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) same (second adj (requestor or requester)) 0 @ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data)) same (SPAT; USPAT;		1		DERWENT	
and (requestor or requester)) and (transmits4 or transfer34 or send34 or deliver33) adj (undelivered) or sendated or deliver33) adj (undelivered) or sendated or deliver33) adj (undelivered) and (requestor or requester)) and (transmits4 or transfer34 or send34 or deliver30 or send33 or transfer34 or sendatials or fetch33 or download33) same (partial or remained or undelivered) same (second adj (requestor or requester)) - 0 0ad ("20000320" and (deliver33 or send33 or transfer34 or schedul\$3 or fetch33 or download33) same (partial or remained or undelivered) adj (object or data)) same (second adj (requestor or requester)) - 0 0ad ("20000320" and (deliver33 or send33 or transfer34 or schedul\$3 or fetch33 or download33) same (partial or remained or undelivered) adj (object or data)) same (second adj (requestor or requester)) - 0 0ad ("20000320" and (deliver33 or send33 or transfer34 or schedul\$3 or fetch33 or download33) same (partial or remained or undelivered) adj (object or data)) same (second or other) adj (requestor or requester) - 0 0ad ("20000320" and (deliver33 or send33 or transfer34 or schedul\$3 or fetch33 or download33) same (partial or remained or undelivered) adj (object or data)) same (second or other or another) adj (requestor or requester)) - 0 0ad ("20000320" and second adj (request sand (requestor or requester)) same (transmit34 or transfer34 or send34 or send34 or deliver33) - 20 0ad ("20000320" and second adj (request sand (requestor or requester)) same (transmit34 or transfer34 or send34 or deliver\$3) - 0 0ad ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000320" and second adj ("20000					
(transmit34 or transfer34 or send34 or deliver\$3) and (undelivered or remainder) SEPO; JPO; deliver\$3 and (requestor or requester) and (requestor or requester) and (transmit\$4 or transfer\$4 or send\$4 or SEPO; JPO; deliver\$3 or transfer\$4 or schedul\$3 or fetch\$3 or JUSPAT; 2004/05/06 SeAd < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or JUSPAT; 2004/05/06 SeAd < "20000320" and deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) add (object or data)) same (second add) (requestor or requester) SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT SERVENT	-	0			
delivers3] adj (undelivered or remainder) 14 @ad «"2000320" and second adj (request uspar); and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3] 0 @ad «"20000320" and (deliver\$3) or send\$3 or undeliver\$4] same (second adj (requestor or requester) 0 @ad «"20000320" and (deliver\$3 or send\$3 or undeliver\$4] same (second adj (requestor or requester) 0 @ad «"20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undeliver\$4] adj (object or data)) same (second adj (requestor or requester) 0 @ad «"20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undeliver\$6] adj (object or data)) same (Second adj (requestor or requester) 0 @ad «"20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undeliver\$6] adj (object or data)) same (Second or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undeliver\$6] adj (object or data)) same ((second or other or another) adj (requestor or requester)) 0 @ad «"20000320" and second adj (request undeliver\$6] and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and second adj (request undeliver\$6] 0 @ad «"20000320" and comput\$3 with priority with (waiting adj time) same (undeliver\$6] 0 @ad «"20000320" and comput\$3 with priority with (waiting adj time) same (undeliver\$6]					15:58
14 8ad < "20000320" and second adj (request span ctransmits4 or transfers4 or send\$4 or deliver\$3 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfers4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) same (second adj (requestor or download\$3) same (partial or remained or undelivered) adj (object or data) same (second adj (requestor or requester)) 0 8ad < "2000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) adj (object or data) same (second adj (requestor or requester)) 0 8ad < "2000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) adj (object or data) same (second or other) adj (requestor or requester) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undeliver\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undeliver\$4 or transfer\$4 or send\$4 or deliver\$3 or transfer\$4 or send\$4 or deliver\$3 or transfer\$4 or send\$4 or deliver\$3 or transfer\$4 or send\$4 or deliver\$3 or requester) 0 8ad < "20000320" and second adj (requestor or requester) 0 0 0 0 0 0 0 0 0		İ			
and (requestor or requester) and (transmits) or transfers) or sends3 or sends3 or transfers) 0 8 20000320" and (delivers) or sends3 or transfers) 0 8 20000320" and (selivers) or sends3 or transfers) 0 8 20000320" and (selivers) or sequester) 0 8 20000320" and (selivers) or sends3 or transfers) 0 8 20000320" and (selivers) or sends3 or transfers) 0 20000320" and (selivers) or sends3 or transfers) 0 20000320" and (selivers) or sends3 or transfers) 0 20000320" and second adj (prequestor or undelivered) adj (object or data) 3 3 20000320" and second adj (prequestor or requester) 0 8 20000320" and second adj (requestor or delivers) 3 2004/05/06 20000320" and second adj (requestor or delivers) 2004/05/06 20000320" and second adj (requestor or delivers) 2004/05/06 20000320" and second adj (requestor or requester) 0 2 2 2 2 2 2 2 2 2			deliver\$3) adj (undelivered or remainder)		
Ctransmit\$4 or transfer\$4 or send\$4 or deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) same (second ad) (requestor or requester)	_	14			
deliver\$3 0 8ad < "20000320" and (deliver\$3 or send\$3 DERWENT SPAT; CO04/05/06 Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Content Con					15:59
0 8ad < "20000320" and (deliver33 or sends3 or transfer54 or schedul\$3 or fetch\$3 or download\$3] same (partial or remained or undelivered) same (second adj (requestor or requester)) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3] same (partial or remained or undelivered) adj (object or data) same (second adj (requestor or requester)) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3] same (partial or remained or undelivered) adj (object or data) same (second or other) adj (requestor or requester)) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3] same (partial or remained or undelivered) adj (requestor or requestor) 0 8ad < "20000320" and second adj (request and (requestor or requester)) same ((second or other or another) adj (request and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remained or partial) 0 8ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 0 8ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 0 8ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 0 0 0 0 0 0 0 0 0					
or transfers4 or schedul\$3 or fetch\$3 or undelivered) same (partial or remained or undelivered) same (second adj (requestor or requester)) - 0 &ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) adj (object or data)) same (second adj (requestor or requester)) - 0 &ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) adj (object or data)) same (for the second or other) adj (requestor or requester)) - 0 &ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) adj (object or data)) same (for the second or other or another) adj (requestor or requester)) - 0 &ad < "20000320" and second adj (request and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remained or deliver\$3) add (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) add (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undelivered or remained or partial) - 0 &ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undelivered or remained or partial) - 0 &ad < "20000320" and second adj (requestor or requester)) same (undeliver\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (partial) or deliver\$3 or fetch\$3 or download\$3) same (partial) (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and second adj (pad < "20000320" and se					2224 (25 (25
downloads3) same (partial or remained or undelivered) same (second adj (requestor or requester))	_	· ·			
undelivered) same (second adj (requestor or requester)					15:56
O 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3 same (partial or remained or undelivered) adj (object or data)) same (second adj (requestor or requester)) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) adj (object or data)) same (second or other) adj (requestor or requester)) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (partial or remained or undelivered) adj (object or data)) same (second or other) adj (requestor or requester)) 0 8ad < "20000320" and second adj (request and (requestor or requester)) and (requestor or requester)) and (requestor or requester)) and (requestor or requester)) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) add < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) add (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 0 8ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 0 8ad < "20000320" and second adj (request or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 0 8ad < "20000320" and second adj (request or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) 0 8ad < "20000320" and second adj (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3 or download\$3 or download\$3 or download\$4 or deliver\$3 or fetch\$3 or download\$3 or download\$4 or deliver\$3 or fetch\$3 or download\$3 or download\$4 or deliver\$3 or fetch\$3 or download\$4 or deliver\$5 or fetch\$4 or send\$4 or deliver\$5 or fetch\$5 or download\$5 or download\$5 or download\$5 or download\$5 or download\$5 or download\$5 or download\$5 or download\$5 or downloa					
- 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or datal) same (second adj (requestor) or requester) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data)) same ((second or orber) adj (requestor or requester)) 0 8ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data)) same ((second or orber) adj (requestor or undelivered) adj (object or data)) same ((second or other) adj (request and (requestor or requester)) and (fransmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered) adj (request and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered) requester) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undelivered or remained or partial) 0 8ad < "20000320" and second adj (request uspan) (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undelivered or remained or partial) 0 8ad < "20000320" and second adj (requestor or requester)) same (undeliver\$3) same (undeliver\$4 or send\$4 or deliver\$3) same (undeliver\$4 or remained or partial) 0 8ad < "20000320" and second adj (requestor or requester)) same (undeliver\$4 or transfer\$4 or send\$4 or deliver\$3) same (undeliver\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undeliver\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (proposition) same (propo				DERWENT	
Or transfer94 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data)) same (second adj (requestor or requester)) Gad < "20000320" and (deliver\$3 or send\$3 or or transfer94 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data)) same ((second or other) adj (requestor or requester)) DERWENT Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 Cond/05/06 C	_	٥		IICDAT.	2004/05/06
downloads3) same ((partial or remained or undelivered) adj (object or datal) same (second adj (requestor or requester))		Ĭ			1 ' '
undelivered adj (object or data)) same (second adj (requestor) or remained or undelivered) adj (object or data) same (specification) or transfer94 or schedul33 or fetch83 or download33) same ((partial or remained or undelivered) adj (object or data) same ((second or other) adj (requestor or requester))					13.37
Second adj (requestor or requester) 0		1	undelivered) adi (object or data)) same		
O @ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or US-PGPUB; download\$3) same ((partial or remained or undelivered) adj (object or data)) same (1(second or other) adj (requestor or requester)) O @ad < "20000320" and (deliver\$3 or send\$3 or transfer\$4 or schedul\$3 or fetch\$3 or download\$3] same ((partial or remained or undelivered) adj (object or data)) same ((second or other or another) adj (requestor or requester)) O @ad < "20000320" and second adj (request and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remained or partial) O @ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) O @ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) O @ad < "20000320" and second adj (repuest (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) O @ad < "20000320" and second adj (repuestor or requester)) O @ad < "20000320" and second adj (repuestor or requester)) O @ad < "20000320" and second adj (repuestor or requester)) O @ad < "20000320" and second adj (repuestor or requester)) O @ad < "20000320" and second adj (repuestor or requester)) O @ad < "20000320" and second adj (repuestor or requester)) O @ad < "20000320" and second adj (repuestor or requester) O @ad < "20000320" and second adj (repuestor or requester) O O O O O O O O O		1		201111111	
Or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same ((partial or remained or undelivered) adj (object or data)) same ((second or other) adj (requestor or requester))	-	0	@ad < "20000320" and (delivers3 or sends3	USPAT:	2004/05/06
download\$3) same ((partial or remained or undelivered) adj (object or data)) same ((second or other) adj (requestor or requester))				1	
Undelivered adj (object or data) same ((second or other) adj (requestor or requester))		1			
((second or other) adj (requestor or requester))		1		1	
0					
Or transfer\$4 or schedul\$3 or fetch\$3 or download\$3) same (spartial or remained or undelivered) adj (object or data) same (second or other or another) adj (requestor or requester)) add (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undeliver\$1) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) add (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) add (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) amd (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) amd (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undeliver\$4 or remained or partial) (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undeliver\$4 or remained or partial) (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undeliver\$4 or remained or partial) (requestor or requester)) same (same (requestor or requester)) same (same (requestor)) same (requestor) or requester)) same (same (requestor)) same (same (requestor)) same (same (requestor)) same (same (requestor)) same (same (requestor)) same (same (requestor)) same (same (requestor)) same (same (requestor)) same (same (requestor)) same (same (same same same same (same same same same same same same same					
download\$3] same ((partial or remained or undelivered) adj (object or data)) same ((second or other or another) adj (requestor or requester))	-	0	@ad < "20000320" and (deliver\$3 or send\$3		2004/05/06
Undelivered) adj (object or data) same ((second or other or another) adj (requestor or requester))					15:57
((second or other or another) adj (requestor or requester)) and (requestor or requester)) and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 20 (ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same (requestor or requester)) same (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requester) (requestor or requeste			download\$3) same ((partial or remained or		
(requestor or requester) (ad < "20000320" and second adj (request and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remained or partial) (ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) (requestor or requester) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) ((requestor or requester)) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or developer\$4 or send\$4 or deliver\$3 or developer\$5 or requester) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$6 or requester) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$6 or requester) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$6 or requester) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$6 or requester) (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$6 or per\$6 (same (transmit\$4 or transfer\$4 or send\$4 or deliver\$6 (same (transmit\$4 or transfer\$6 (same (transmit\$4 or			undelivered) adj (object or data)) same	DERWENT	
- 0 8ad < "20000320" and second adj (request and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remained or partial) 8ad < "20000320" and second adj (request and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 8ad < "20000320" and second adj (request (ransmit\$4 or transfer\$4 or send\$4 or deliver\$3) 8ad < "20000320" and second adj (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 8ad < "20000320" and second adj (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 8ad < "20000320" and second adj (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 8ad < "20000320" and second adj (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) 8ad < "20000320" and second adj (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) 8ad < "20000320" and comput\$3 with priority with (waiting adj time) USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/06 USPAT; 2004/05/0					
and (requestor or requester)) and (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remained or partial) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (fransmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undeliver\$4 or remained or partial) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undeliver\$3 or fetch\$3 or download\$3) same (undeliver\$4 or remained or partial) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$5 or fetch\$3 or download\$3) same (undeliver\$6 or remained or partial) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$6 or partial) and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or transfer\$4 or send\$4 or transfer\$4 or send\$4 or transfer\$4 or send\$4 or transfer\$4 or send\$4 or transfer\$4 or send\$6 or transfer\$4 or send\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transfer\$6 or transf			(requestor or requester))		0004/05/05
(transmit\$4 or transfer\$4 or send\$4 or deliver\$3) adj (undelivered or remained or partial)	_	"	dad < "20000320" and second adj (request		
deliver\$3 adj (undelivered or remained or partial) 0					15:58
Or partial 3					
3				DEKMENI	
and (requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) - 20	_	3		IISPAT:	2004/05/06
(transmit\$4 or transfer\$4 or send\$4 or deliver\$3)			and (requestor or requester)) same		
deliver\$3 @ad < "20000320" and second adj					10.03
- 20					
((requestor or requester)) same ((transmit\$4 or transfer\$4 or send\$4 or deliver\$3) - 0 (requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undelivered or remained or partial) - 0 (requestor or requester)) same ((requestor or requester)) same ((requestor or requester)) same ((transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) (ad < "20000320" and comput\$3 with priority with (waiting adj time) - 17 (ad < "20000320" and comput\$3 with priority with (waiting adj time) uspAT; - 18 (ad < "20000320" and comput\$3 with priority with (waiting adj time) same size - 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 5 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 19 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 2004/05/06 - 3 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 5 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 5 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 6 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 7 (ad < "2004/05/06 time) and size - 8 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 7 (ad < "2004/05/06 time) and size - 8 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size - 9 (ad < "2004/05/06 time) and size -	-	20			2004/05/06
(transmit\$4 or transfer\$4 or send\$4 or deliver\$3)			((requestor or requester)) same		
DERWENT USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;			(transmit\$4 or transfer\$4 or send\$4 or	1	
((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undelivered or remained or partial) 0			deliver\$3)	DERWENT	
((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3) same (undelivered or remained or partial) 0	_	0	@ad < "20000320" and second adj	USPAT;	
deliver\$3) same (undelivered or remained or partial) 0 (ad < "20000320" and second adj ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) 17 (ad < "20000320" and comput\$3 with priority with (waiting adj time) 1 (ad < "20000320" and comput\$3 with priority with (waiting adj time) 1 (ad < "20000320" and comput\$3 with priority with (waiting adj time) same size 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size 4 (ad < "20000320" and comput\$3 with priority with (waiting adj time) and size					16:04
or partial) @ad < "20000320" and second adj ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) @ad < "20000320" and comput\$3 with priority with (waiting adj time) ### Cad < "20000320" and comput\$3 with priority with (waiting adj time) ### Cad < "20000320" and comput\$3 with ### Cad < "20000320" and comput\$3 with ### Cad < "20000320" and comput\$3 with ### DERWENT ### USPAT; ### DOWN/OF/06 ### DERWENT ### USPAT; ### DOWN/OF/06 ### DERWENT ### USPAT; ### DOWN/OF/06 ### DERWENT ### USPAT; ### DOWN/OF/06 ### DERWENT ### USPAT; ### DOWN/OF/06 ### DERWENT ### USPAT; ### DOWN/OF/06 ### DERWENT ### USPAT; ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/06 ### DOWN/OF/0F ### DOWN/OF/0F ### DOWN/OF/OF/OF/OF/OF/OF/OF/OF/OF/OF/OF/OF/OF/					
- 0 @ad < "20000320" and second adj ((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) - 17 @ad < "20000320" and comput\$3 with priority with (waiting adj time) - 1 @ad < "20000320" and comput\$3 with priority with (waiting adj time) uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent uspat; 2004/05/06 perwent				DERWENT	
((requestor or requester)) same (transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) 17					
(transmit\$4 or transfer\$4 or send\$4 or deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) 17	-	0		,	1
deliver\$3 or fetch\$3 or download\$3) same (undelivered or remained or partial) 17				1	16:41
Cundelivered or remained or partial) Gad < "20000320" and comput\$3 with priority with (waiting adj time)			· · · · · · · · · · · · · · · · · · ·		
- 17 @ad < "20000320" and comput\$3 with priority with (waiting adj time) - 1 @ad < "20000320" and comput\$3 with priority with (waiting adj time) same size - 4 @ad < "20000320" and comput\$3 with priority with (waiting adj time) same size - 4 @ad < "20000320" and comput\$3 with priority with (waiting adj time) and size - 5			(undelivered or remained on meetical)	DERWENT	
priority with (waiting adj time) US-PGPUB; EPO; JPO; DERWENT USPAT; 2004/05/06 priority with (waiting adj time) same us-PGPUB; size Gad < "20000320" and comput\$3 with us-PGPUB; EPO; JPO; DERWENT Size Gad < "20000320" and comput\$3 with priority with (waiting adj time) and size US-PGPUB; DERWENT USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	_	17	Gad < "20000320" and computes with	IISDAT.	2004/05/06
- 1 @ad < "20000320" and comput\$3 with USPAT; 2004/05/06 priority with (waiting adj time) same size EPO; JPO; DERWENT US-PGPUB; EPO; JPO; DERWENT USPAT; 2004/05/06 priority with (waiting adj time) and size US-PGPUB; EPO; JPO; DERWENT USPAT; 2004/05/06 priority with (waiting adj time) and size EPO; JPO;		''	nriority with (waiting add time)		
- 1 @ad < "20000320" and comput\$3 with priority with (waiting adj time) same size EPO; JPO; DERWENT USPAT; 2004/05/06 16:42 - 4 @ad < "20000320" and comput\$3 with priority with (waiting adj time) and size US-PGPUB; EPO; JPO; DERWENT USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;			brrossed with (warezing and time)		10.47
1 @ad < "20000320" and comput\$3 with priority with (waiting adj time) same size EPO; JPO; 4 @ad < "20000320" and comput\$3 with priority with (waiting adj time) and size US-PGPUB; priority with (waiting adj time) and size EPO; JPO;					
priority with (waiting adj time) same US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; priority with (waiting adj time) and size US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;] -	1	@ad < "20000320" and comput\$3 with		2004/05/06
size - 4 Gad < "20000320" and comput\$3 with priority with (waiting adj time) and size EPO; JPO; DERWENT USPAT; 2004/05/06 US-PGPUB; EPO; JPO; EPO; JPO;		-		· ·	
- 4 Gad < "20000320" and comput\$3 with priority with (waiting adj time) and size US-PGPUB; EPO; JPO;]			l .	
- 4 @ad < "20000320" and comput\$3 with priority with (waiting adj time) and size US-PGPUB; EPO; JPO; 2004/05/06				1	
priority with (waiting adj time) and size US-PGPUB; 16:43 EPO; JPO;	-	4	<pre>@ad < "20000320" and comput\$3 with</pre>		2004/05/06
EPO; JPO;				·	
DERWENT				· ·	
				DERWENT	

_		@ad < "20000320" and comput\$3 with	USPAT;	2004/05/06	
		priority with (waiting adj time) and size	US-PGPUB;	16:43	
		near (object or data)	EPO; JPO;		
1			DERWENT	i l	